

# TX-3535P3FC120-OGHCNA72-03F

## PRODUCT SPECIFICATION

### Features:

- ◆
- ◆
- ◆

### Chip Material:

- ◆


### Emitting Color:

- ◆


### Applications:

- ◆
- ◆
- ◆



--	--	--	--	--	--




**TYANSHINE** | 广州市天鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd.



广州市天鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd.



有限公司  
Co., Ltd.



**TYANSHINE** | 广州市天鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd.


--	--	--	--	--	--







# Electrical



TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd




TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd



广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd





广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd



TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd

--	--	--	--	--	--





°C

广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd

TYANSHINE  
广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd




# Usage Precautions

## Storage Environment Condition

°C   °C   °F   °F

## Soldering Condition




--	--	--	--	--	--



# Dimensions For Cannulation And Packaging

Quantity:1000 PCS



--	--	--	--	--	--